Buffalo Guard Station, Garage (Bldg 1308)
U.S. Highway 20/191 at surfalo River
Island Park
Fremont County
Idaho

HABS NO. ID-65-C

HABS

10;

22-ILPA;

26-

PhOTOGRAPHS

WRITIEN HISTORICAL AND DESCRIPTIVE DATA

National Park Service
Western Region
Department of the Interior
San Francisco, CA 94102

86 173

Form: 10-920 (June 1963)

James A. McDonald, Targhee N.F.

UNITED STATES DEPARTMENT OF THE INTERIOR **NATIONAL PARK SERVICE**

HISTORIC AMERICAN BUILDINGS SURVEY

ARCHITECTURAL DATA FORM

HABS 10, 22-11PA, 20-

10-18-84

Ŋ.				<u> </u>	
	STATE	COUNTY	TOWN OR VICINIT	Y	
	Idaho	Fremont	Island Park		
	HISTORIC NAME OF STRUCTURE (INCL	UDE SOURCE FOR NAME)		HABS NO.	
l	Buffalo Cuard Station Garage (H.S.D.A. F.S. Tarchee N F 7	300 files)	ID-65-C	
	uffalo Guard Station Garage (U.S.D.A., F.S., Targhee N.F. 7300 files) ID-65-C ECONOARY OR COMMON NAMES OF STRUCTURE				
ı				· ·	
	Building 1308				
COMPLETE ADDRESS (DESCRIBE LOCATION FOR RURAL SITES)					
	U.S. Highway 20/191 at Buffalo River, Island Park, Fremont County, Idaho DATE OF CONSTRUCTION (INCLUDE SOURCE) 1936 (U.S.D.A., F.S., Targhee N.F. 7300 files) Unknown				
١					
١					
SIGNIFICANCE (ARCHITECTURAL AND HISTORICAL, INCLUDE ORIGINAL USE OF STRUCTURE) Constructed by the Civilian Conservation Corps using a standard Forest Service Region					
	plan (R4-21) but with log siding rather than a specified siding type. It is thus associa with the Federal Depression recovery effort, representative of a method of construction, STYLE (IF APPROPRIATE)				
1					
Neo-Colonial MATERIAL OF CONSTRUCTION (INCLUDE STRUCTURAL SYSTEMS) Wood frame on a concrete foundation with a concrete floor. The exterior is covered log siding.					
				a account of the	
				s covered with	
	SHAPE AND DIMENSIONS OF STRUCTU	RE (SKETCHED FLOOR PLANS ON SEPAI	RATE PAGES ARE A	CCEPTABLE	
		cangular, 36' X 20', one story. Sketch and photographic reproductions of standard			
plans attached (ID-65-C-4 through 6). EXTERIOR FEATURES OF NOTE "Shevlin" 2" X 8" log siding was used in place of the 1" X 6" or 1" X 8" drop or bever siding specified in the standard plan.					
				op or bevel	
		COVER DE ATURCA OF NOTE (DECODIOS EL COR SI ANO LE NOTEMETO COL			
	TERIOR FEATURES OF NOTE (DESCRIBE FLOOR PLANS, IF NOT SKETCHED)				
The plan is reversed left-to-right from the standard floor plan (ID-65-C-2 thr				through 4).	
	MAJOR ALTERATIONS AND ADDITIONS	S WITH DATES			
The eastern (right) sliding door has had a standard door inserted (ID-65-C-1). The da				-1). The date	
of this alteration is unknown.					
	•				
	PRESENT CONDITION AND USE				
The building is still in use as a garage and is in good condition except for b				or broken	
	rindows.				
	OTHER INFORMATION AS APPROPRIAT				
This documentation was compiled in accordance with the National Historic Pre				reservation Act	
	and a Memorandum of Understanding with the Advisory Council on Historic Preservation.				
	SOURCES OF INFORMATION (INCLUDIN	NG LISTING ON NATIONAL REGISTER, S	TATE REGISTERS,	ETC.) Ranger Station	
Included in Part III, attached. The building is a component of the determined eligible for the National Register of Historic Places.				o wanger bracion,	
	decermined eligible for the Na	icional kegister of Historic Pi	aces.		
	201011 50 251112 51011		1		
	COMPLIER AFFILIATION		΄ Ι ΟΔ΄	l -	

BUFFALO GUARD STATION, GARAGE (BLDG 1308)

HABS No. ID-65-C (Page 2)

Significance:

but also locally unique because of the siding. Originally served as a storeroom and garage for a seasonal Forest Guard engaged in fire suppression in the Island Park area.

